


SPECIAL OFFER

WINTER 2019

February 1st to March 31st

TOPRING

Compressed air solutions



TOPQUIK SC SAFETY QUICK COUPLERS





SAFETY

- Safe disconnection, with downstream pressure automatically purged
- Full flow for maximum performance
- Manual connection



Safety solution with a 2-step disconnection

CONNECTION
Push compatible plug into coupling and swing 90° until the orange ring engages in the groove



DISCONNECTION
Pull back orange ring and swing plug to stop

I/M 360 38
1/4 PSI SCFM

No 20.847
1/4 INDUSTRIAL • 1/4 (F) NPT
List ~~\$37.80~~ **\$24.57**

I/M 360 75
3/8 PSI SCFM

No 21.847
3/8 INDUSTRIAL • 1/4 (F) NPT
List ~~\$43.92~~ **\$28.55**

I/M 360 75
3/8 PSI SCFM

No 21.867
3/8 INDUSTRIAL • 3/8 (F) NPT
List ~~\$43.92~~ **\$28.55**

A 360 38
1/4 PSI SCFM

No 23.847
ARO 210 • 1/4 (F) NPT
List ~~\$38.16~~ **\$24.80**

E 360 70
7/8 PSI SCFM

No 31.447
ULTRAFLO • 1/4 (F) NPT
List ~~\$43.92~~ **\$28.55**

QUIKSILVER QUICK COUPLERS

- Automatic connection with proven and positive connection using ball locking mechanism
- High performance and corrosion-resistant
- Easy to connect, even under pressure
- Deep knurled socket sleeve for positive gripping
- Proven and positive connection using ball locking mechanism



I/M 500 44
1/4 PSI SCFM

20.446
1/4 INDUSTRIAL • 1/4 (F) NPT
List ~~\$26.32~~ **\$17.11**



I/M 500 44
1/4 PSI SCFM

20.466
1/4 INDUSTRIAL • 3/8 (F) NPT
List ~~\$31.88~~ **\$20.72**



A 500 44
1/4 PSI SCFM

23.446
ARO 210 • 1/4 (F) NPT
List ~~\$26.32~~ **\$17.11**



E 500 80
7/8 PSI SCFM

31.711C
Coupler • 1/4 (F) NPT
Plug • 1/4 (M) NPT
List ~~\$30.84~~ **\$20.05**



E 500 80
7/8 PSI SCFM

31.764
ULTRAFLO • 3/8 (F) NPT
List ~~\$30.08~~ **\$19.55**

AIRPRO SAFETY HIGH FLOW VENTURI NOZZLE BLOW GUNS



SAFETY



ERGONOMICS

- Powerful safety blow guns
- Venturi nozzle increases the available thrust
- Designed to move a large volume of air and generate maximum blowing power




No 60.350
6 mm x 10 cm tube (blue)
List ~~\$36.72~~ **\$23.87**

No 60.386
8 mm x 10 cm tube (red)
List ~~\$39.48~~ **\$25.66**

SAFETY HIGH FLOW BLOW GUNS WITH LONG TUBE

Airflow speeds up as it passes through the nozzle, drawing in ambient air through two side holes. The increased velocity and increased volume of air exiting the nozzle amplify thrust.



If the tip of the nozzle is blocked, the airflow escapes through the side holes and the static pressure remains under 30 PSI.



60.382
30 cm

60.383
50 cm

No 60.382
8 mm x 30 cm tube
List ~~\$53.08~~ **\$34.50**


No 60.383
8 mm x 50 cm tube
List ~~\$57.12~~ **\$37.13**

No 60.384
8 mm x 100 cm tube
List ~~\$70.76~~ **\$45.99**

ANTI HOSE WHIPS WITH COUPLER AND PLUG



ERGONOMICS



- Ergonomic connection increases coupler lifespan and protects from tool impacts and shocks
- Highly ergonomic for superior air tool productivity




Install between the tool and the coupler

TECH TIP

All sharp bends on hose lines should be avoided. These tend to shorten hose life, increase pressure drops, retard swivel action, increase pump load and raise the temperature of the fluid.

No 62.560C 3/8 I.D. x 18 in • 1/4 INDUSTRIAL List ~~\$23.04~~ **\$14.98**

No 62.562C 3/8 I.D. x 18 in • ULTRAFLO List ~~\$24.48~~ **\$15.91**



AIRFLEX Premium RUBBER AIR HOSES

- General purpose quality
- Flexible and long-lasting for industrial uses
- Excellent resistance to abrasion
- Medium oil resistance (RMA-Class C)

250 PSI **TEMP °C +100/-40**



No 71.114 ~~List \$41.60~~
1/4 I.D. x 25 ft x 1/4 (M) NPT **\$27.04**

No 71.315 ~~List \$50.80~~
3/8 I.D. x 25 ft x 1/4 (M) NPT **\$33.02**

No 71.116 ~~List \$52.96~~
1/4 I.D. x 35 ft x 1/4 (M) NPT **\$34.42**

No 71.317 ~~List \$66.32~~
3/8 I.D. x 35 ft x 1/4 (M) NPT **\$43.11**

No 71.118 ~~List \$70.40~~
1/4 I.D. x 50 ft x 1/4 (M) NPT **\$45.76**

No 71.319 ~~List \$89.36~~
3/8 I.D. x 50 ft x 1/4 (M) NPT **\$58.08**

TOPFLEX RUBBER AIR HOSES

- Dielectric (non-conductive at 1 000 volts D.C.)
- Extremely resistant to oils and heat (RMA-Class A)
- Flame retardant cover protects hose in environment with hot chips and sparks
- Excellent resistance to abrasion

250 PSI **TEMP °C +100/-40**



Lock-on fittings simplify maintenance operations

No need to use cutting and no crimping with virole required

No 77.345 ~~List \$82.96~~
3/8 I.D. x 25 ft x 1/4 (M) NPT **\$53.92**

No 77.445 ~~List \$104.04~~
1/2 I.D. x 25 ft x 3/8 (M) NPT **\$67.63**

No 77.348 ~~List \$160.60~~
3/8 I.D. x 50 ft x 1/4 (M) NPT **\$104.39**

No 77.448 ~~List \$200.44~~
1/2 I.D. x 50 ft x 3/8 (M) NPT **\$130.29**

No 77.335 ~~List \$83.92~~
3/8 I.D. x 25 ft x 3/8 (M) NPT **\$54.55**

No 77.438 ~~List \$202.88~~
1/2 I.D. x 50 ft x 1/2 (M) NPT **\$131.87**

No 77.338 ~~List \$161.52~~
3/8 I.D. x 50 ft x 3/8 (M) NPT **\$104.99**

TOP PRO SAFETY BLOW GUNS



- Airflow can be precisely regulated simply by squeezing and releasing the handle
- Ergonomically designed non-slip grip to ensure complete safety and handling
- Laboratory tested mechanism to resist to more than 1 250 000 operation cycles

No 60.302 ~~List \$28.00~~
10 cm tube **\$18.20**

No 60.303 ~~List \$43.08~~
30 cm long tube **\$28.00**

No 60.304 ~~List \$48.80~~
50 cm long tube **\$31.72**

No 60.315 ~~List \$28.04~~
Quiet nozzle **\$18.23**

No 60.316 ~~List \$32.00~~
Venturi nozzle **\$20.80**



THERMOFLEX TECHNOPOLYMER AIR HOSES

300 PSI **TEMP °C +65/-26**



- High quality and flexible PVC compound
- Lightweight for greater manoeuvrability
- Ideal for applications in contact with paints and solvents

No 72.114 ~~List \$33.48~~
1/4 I.D. x 25 ft x 1/4 (M) NPT **\$21.76**

No 72.319 ~~List \$66.44~~
3/8 I.D. x 50 ft x 1/4 (M) NPT **\$43.19**

No 72.118 ~~List \$56.96~~
1/4 I.D. x 50 ft x 1/4 (M) NPT **\$37.02**

No 72.415 ~~List \$55.76~~
1/2 I.D. x 25 ft x 3/8 (M) NPT **\$36.24**

No 72.315 ~~List \$41.40~~
3/8 I.D. x 25 ft x 1/4 (M) NPT **\$26.91**

No 72.419 ~~List \$96.36~~
1/2 I.D. x 50 ft x 3/8 (M) NPT **\$62.63**

FLEXAIR POLYURETHANE AIR HOSES

200 PSI **TEMP °C +60/-40**

- Non-marking outer cover
- Excellent resistance to oils, greases, solvents and abrasion
- Superior resistance to cuts and punctures
- Highly kink resistant



No 74.163 ~~List \$33.56~~
1/4 I.D. x 25 ft x 1/4 (M) NPT **\$21.81**

No 74.169 ~~List \$97.52~~
1/4 I.D. x 100 ft x 1/4 (M) NPT **\$63.39**

No 74.167 ~~List \$52.20~~
1/4 I.D. x 50 ft x 1/4 (M) NPT **\$33.93**

No 74.364 ~~List \$46.32~~
3/8 I.D. x 25 ft x 1/4 (M) NPT **\$30.11**

HOSEGUARD SAFETY VALVES


- Prevent dangerous air hose lashings
- Ultra safety device when a fitting comes loose from a pressurized hose or when a pressurized hose breaks
- Installed between the air source supply and the pipe



See the video on **TOPRING.com**



For more information on series 58, visit **TOPRING.com**



MAXREEL PROFESSIONAL HOSE REELS

- Automatic rewinding
- Robust steel construction
- Corrosion-resistant durable epoxy powder coated finish
- Adjustable guide arm for wall, ceiling and floor installation



ECOFLEX Technopolymer air hoses

No 79.332 List ~~\$191.64~~
3/8 I.D. x 25 ft x 1/4 (M) NPT **\$124.57**

No 79.333 List ~~\$287.48~~
3/8 I.D. x 33 ft x 1/4 (M) NPT **\$134.86**

TOPFLEX Rubber air hoses

No 79.322 List ~~\$264.68~~
3/8 I.D. x 25 ft x 1/4 (M) NPT **\$172.04**

No 79.323 List ~~\$285.40~~
3/8 I.D. x 33 ft x 1/4 (M) NPT **\$185.51**

RoAir PROFESSIONAL HOSE REELS

- Automatic rewinding
- Compact design
- Made of high-impact resistant polypropylene
- Integrated wall and overhead swivel bracket
- Adjustable hose stopper



flexhybrid Technopolymer Air Hose

No 79.365 List ~~\$189.84~~
1/4 I.D. x 27 ft x 1/4 (M) NPT **\$71.40**

PVC Air Hose

No 79.370 List ~~\$187.48~~
1/4 I.D. x 33 ft x 1/4 (M) NPT **\$121.86**

No 79.375 List ~~\$207.52~~
3/8 I.D. x 30 ft x 1/4 (M) NPT **\$134.89**

No 79.380 List ~~\$223.64~~
3/8 I.D. x 50 ft x 1/4 (M) NPT **\$145.37**

MAXDRAIN COMPACT ELECTRONIC AUTOMATIC DRAIN

- Fully automatic and maintenance free
- Reduces compressed air losses with the electronic purge timer
- Adjustable cycle drain time of 30 seconds to 45 minutes



Designed for use with air receiver tanks, refrigerant air dryers, separators and drop legs


No 59.345 List ~~\$158.04~~
\$102.73

Outside thread
1/2 (M) NPT
Inside thread
1/4 (F) NPT



PolyReel PROFESSIONAL PORTABLE HOSE REEL

- Manual rewinding
- Rugged and durable steel construction
- 360° swivel base with ball bearings to extend hose reel lifespan
- Polyurethane air hose remains ultra-efficient at -40 °C



No 79.040
1/4 I.D. x 100 ft x 1/4 (M) NPT
List ~~\$202.96~~
\$131.92

MAXDRAIN COMPACT PROGRAMMABLE DIGITAL AUTOMATIC DRAIN

- Automatic and safe purging of condensed water with precise purge time programming
- Digital timer for virtually unlimited programming control
- Maintenance free



No 59.365 List ~~\$169.96~~
\$110.47

Outside thread
1/2 (M) NPT
Inside thread
1/4 (F) NPT

AIRPRO 90° FREE ANGLE FITTINGS



- Provide 360° free circular rotation and 90° angle positioning in all directions
- Ergonomic connection prevents air hose from kinking for superior productivity
- Full flow design



No 62.332 List ~~\$99.40~~
1/4 (F) x 1/4 (M) NPT **\$64.61**

No 62.334 List ~~\$108.44~~
3/8 (F) x 3/8 (M) NPT **\$70.49**


HIFLO WATER/OIL SEPARATORS

Discharging contaminated oil condensates is not only harmful to the environment, it's **PROHIBITED** by the law!

- Effectively treat oils and other contaminants in condensate for safe and legal disposal
- Can separate any types of condensate discharged

For more information on series 57, visit **TOPRING.com**






MAXAIR POLYURETHANE SELF-STORING HOSES

- Ester-based polyurethane ideal for applications in the presence of oil
- Excellent recoil memory
- Very high resistance to folding
- Lightweight and flexible



Non-swivel fitting on the tool side improves vibration resistance for safe connection


Swivel fitting on the air supply side for maximum directional flexibility



- No 14.610**
1/4 I.D. x 15 ft x 1/4 (M) NPT
List ~~\$23.36~~
\$15.18
- No 14.620**
1/4 I.D. x 25 ft x 1/4 (M) NPT
List ~~\$37.04~~
\$24.08
- No 14.650**
1/4 I.D. x 50 ft x 1/4 (M) NPT
List ~~\$57.00~~
\$37.05

- No 14.724**
3/8 I.D. x 25 ft x 1/4 (M) NPT
List ~~\$74.04~~
\$48.13
- No 14.754**
3/8 I.D. x 50 ft x 1/4 (M) NPT
List ~~\$121.68~~
\$79.09

3/8 I.D. air hose offers 3 times more flow than a 1/4. I.D.



TECH TIP

It is important to choose the correct inside pipe diameter depending on the airflow required for the application.

MODULAIR COMBINED UNIT FILTER / REGULATOR AND LUBRICATOR (F/R + L)

- Compact size with combined unit
- High airflow design
- Removal of contaminants down to 5 microns
- Elimination of water by centrifugal force
- Polyurethane bowl, manual drain and pressure gauge included



- No 50.620**
31 SCFM • 1/4 (F) NPT
List ~~\$267.16~~
\$173.65
- No 50.630**
73 SCFM • 3/8 (F) NPT
List ~~\$335.56~~
\$218.11

- No 50.635**
78 SCFM • 1/2 (F) NPT
List ~~\$335.56~~
\$218.11

HIFLO INTEGRATED FILTER / REGULATOR (F/R)

- High airflow design
- Integrated filter and regulator to save space
- Removal of contaminants down to 40 microns
- Elimination of water by centrifugal force
- Maintains a constant pressure level
- Zinc bowl, automatic drain and pressure gauge included



- No 52.228**
70 SCFM • 1/4 (F) NPT
- No 52.233**
70 SCFM • 3/8 (F) NPT
- No 52.243**
80 SCFM • 1/2 (F) NPT

List ~~\$277.32~~
\$180.26




SAVEAIR PRESET PRESSURE REGULATORS

- Ensure optimal efficiency of air tool by providing a preset pressure
- Limit overconsumption of air, thus promoting energy savings
- Increase tools life
- Very reliable, safe and maintenance free
- No possible alteration of the mechanism



TECH TIP

The ideal air tool pressure is usually 90 PSI.
Each 15 PSI booster requires 6 to 10% more energy.



- No 62.202**
29 PSI • 20 SCFM • 1/4 (F) NPT
- No 62.204**
45 PSI • 25 SCFM • 1/4 (F) NPT
- No 62.206**
60 PSI • 25 SCFM • 1/4 (F) NPT
- No 62.210**
90 PSI • 29 SCFM • 1/4 (F) NPT

List ~~\$63.44~~
\$41.24

SAFETY PERSONAL CLEANING UNIT



Cleaning yourself with a blow gun is not only dangerous, it is **ILLEGAL!**

- Perfect solution to eliminate the risk of injury to users
- Designed to meet the standards of OSHA and other health and safety agencies
- Cleans quickly and efficiently

For more information on series 66, visit TOPRING.com



Distributed by



Kingston Contact
613-546-6663 800-267-0920
Fax: 613-542-4451
Email: info@levacsupply.com

Brockville Contact
613-345-1991 877-270-0317
Fax: 613-498-1868
Email: brockville@levacsupply.com